



Deployment Documentation
TransMontaigne Website
Ferris S. Thomas

Overview

This document will describe the steps necessary for successful deployment of the TransMontaigne website.

Any questions or comments may be directed to:

Ferris S Thomas
Roundbox Media
King Plow Art Center, Suite M-107
887 W Marietta St Nw
Atlanta, GA 30318-5252
404.352.1220

I. Deployment

The server setup is extremely straight forward and with a small number of modifications to basic installs of both Apache and PHP, the launch should go smoothly.

II. Development:

The pages were developed using Macromedia Dreamweaver MX, Flash MX, with images produced in Adobe Illustrator, Macromedia Freehand MX, and Adobe Photoshop.

The templates utilized in the creation of pages are included in the Templates folder and are titled Base_Page.dwt.php and Base_Page_FULL.dwt.php. The first is the standard page, with navigation at the top, and the lower three-quarters of the page divided in half. The second template is for creation of full-page content, such as the *About TransMontaigne* pages.

III. Folder Structure

The folder structure should follow as such:

```
ROOT
  articles
  assets
  images
```

Please see a complete file list in *Appendix A*.

IV. Server Requirements

If the configuration of the development server could be matched, the site should function perfectly.

The current web server is a Linux system running an Apache web server (version 1.3.23) with PHP version 4.1.2 installed.

Apache needs to be configured so that it recognizes .PHP scripts, and will accept index.php as the folder index.

a. PHP

The PHP install is relatively straight forward with little customization. What is required, however, is detailed below. (The following is taken directly from the PHPInfo() script located at the URL provided at the end of this document and represents necessary changes to the initial install. While not all items listed below are necessarily disabled by default, they must be enabled to properly deploy the site.):

```
XML Support active
Sockets Support enabled
CURL support enabled
CURL Information libcurl 7.9.5 (OpenSSL 0.9.6b) (ipv6 enabled)
```

ZLib Support enabled
'zlib:' fopen wrapper enabled

b. Apache

Again, while not all of the below are enabled/disabled by default, the below represent items that must be enabled:

Loaded mod_php4

HTTP_ACCEPT image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-shockwave-flash, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, */*

Accept image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-shockwave-flash, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, */*

The development server's configuration is viewable at:
<http://tmgwebdvlp.refinedsolutions.net/phpinfo.php> and is included in Appendix B.

V. Flash Testing:

Portions of the site make use of Flash technology. Therefore it is important that the client viewing the site have an updated version of the player to maximize their experience.

The index page (index.php) contains the following code:

```
<html>
<head>
<title>TMT | Flashtest</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
<META HTTP-EQUIV=Refresh CONTENT="10; URL=index_noFlash.php">

</head>

<body>
<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=6,0,29,0" width="10"
height="10">
  <param name="movie" value="assets/flashTest.swf">

  <param name="quality" value="high">
  <embed src="assets/flashTest.swf" quality="high" pluginspage="http://www.macromedia.com/go/getflashplayer"
type="application/x-shockwave-flash" width="10" height="10"></embed></object>
</body>
</html>
```

The index has two key elements: a meta tag and an embedded Flash movie. The meta tag will, after ten seconds, redirect the user's browser to a page (index_noFlash.php) instructing them to download (or update) their Flash plug-in. The embedded Flash movie (assets/flashTest.swf) is roughly 100 bytes on disk, and simply loads and redirects the user's browser to the main page (index_flash.php).

There had previously been issues with the user being redirected to the Flash download page in light of the fact that they had a valid version of the plug-in. This was happening primarily on the Macintosh, and specifically with Internet Explorer. After increasing the time for the meta refresh from three to ten seconds, the problem was eliminated.

V. Modifications & News Articles:

There has been interest in the ability to modify and/or update information within the site after launch, especially concerning within the *Articles* section. The following details the procedure. There is currently no automated process for this, nor a "control panel" for the purpose of changing news articles.

The homepage (index_flash.php) is composed of three files. The main file (index_flash.php) is comprised of the navigation at the top of the page, and three separate pages added via php include() statements. The included files are footer.php*, index_flash_right.php and index_flash_left.php. The first file contains the image-based navigation for the customer, investor, and financial sections. The second contains links to news articles which are divided into two parts: hard-coded and third-party provided.

The third-party articles are provided by news4sites (<http://www.news4sites.com>) and, with the exception of the theme of the articles provided, are outside of the control of either Roundbox Media or TransMontaigne. Currently there are two articles from two sections: id 398 (Headlines) and id 1901 (Oil & Gas).

The hard-coded articles are located within index_flash_left.php and around found in the following section:

```
<font class="title">Industry Articles</font>
<br>
<a class="body" href="http://logistics.about.com/library/weekly/uc020303a.htm" target="_blank">Managing
Supply - Supplying Management</a><br>
logistics.about.com<br>
February 3, 2003<br>
<br>
<a class="body" href="articles/TransMontaigneReprint.pdf" target="_blank">Forget the &acute;E&acute;! C-
Commerce Is the Next Big Thing.</a><br>
Global Logistics &amp; Supply Chain Strategies<br>
February 22, 2003<br>
```

The section may be modified add/remove articles as seen fit. One is linked externally (*Managing Supply - Supplying Management*), and one is a link to a .PDF file on the server (*Forget the -e! C-Commerce is the Next Big Thing*). There is a general risk to linking to external stories and/or files due to the occasionally transient nature of documents on the web.

There is also a link to the articles page (01-articles.php). The Articles page contains links to internal and external articles. The physical links are bolded within the following:

```
<font class="title">Articles</font><br><br>
```

* Included in most pages, the footer contains links to main elements of the site.

```
<a href="http://logistics.about.com/library/weekly/uc020303a.htm" target="_blank" class="body">Managing
Supply - Supplying Management</a><br />
logistics.about.com<br />
February 3, 2003<br />
<br />
<br />
<a href="articles/TransMontaigneReprint.pdf" target="_blank" class="body">Forget
the &acute;E&acute;! C-Commerce Is the Next Big Thing.</a><br />
Global Logistics &amp; Supply Chain Strategies<br />
February 22, 2003<br />
<br />
<br />
<a href="http://guide.darwinmag.com/technology/enterprise/scm/index.html" target="_blank" class="body">What
is supply chain management?</a>
darwinmag.com<br>
January 22, 2003<br />
<br />
<br />
<a href="http://www.darwinmag.com/read/archive/050100_ask.html" target="_blank" class="body">Ask the Expert:
Supply Chain Management</a><br>
darwinmag.com<br>
May 01, 2000<br>
<br>
<br>
<a href="http://www.outsourcing-supply-chain-management.com/strength.html" target="_blank" class="body">The
Strength of Many&#133;the Power of One</a><br>
outsourcing-supply-chain-management.com<br>
April 1998
<br>
<br>
```

Links can be added and deleted by modifying the code and following the same format as the above.

Appendix A: File Lists:

.. :

00-About.php
00-About_2.php
01-Articles.php
02-Contact.php
03-Customer.php
04-e-Supply.php
05-EmployeeInfo.php
06-CorpGovernance.php
06-Feeds_CCBN.php
07-SECFilings.php
07-feeds_SCC.php
08-Headlines_oilAndGas.php
09-Headlines_us.php
10-IndustryArticles.php
11-ShareholderInfo.php
12-ManagingFuelCosts.php
13-SecuringSupply.php
13-WholesaleRack.php
14-UsingOurAssets.php
15-Facilities.php
16-TugAndBargeOps.php
17-Pipelines.php
18-Map_Facilities.php
18-Map_Facilities_All.php
18-Map_Pipelines.php
18-Map_TugAndBarge.php
19-DeliveredSupply.php
20-AnalystCoverage.php
20-ContractedSupply.php
21-Exchanges.php
21-Fundamentals.php
22-BudgetAndRiskManagement.php
23-SupplyChainServices.php
24-RetailServices.php
25-IntranetLogin.php
25-SECFilings.php
25-stockPrice.php
26-EmploymentOps.php
27-e-SupplyLogIn.php
28-Pipelines.php
29-emailAlerts.php
29-emailAlertsProcess.php
29-emailAlertsProcess_RAW.php
30-StockPrice.php
31-FinancialReleases.php
32-StockPerformance.php
99-SiteMap.php
READ_DATA.php
TMT.css
_xml_get.php
_xml_get_simple.php
data.txt
footer.php
header.php
index.php
index_flash.php
index_flash_left.php
index_flash_right.html
index_flash_right.php

index_noFlash.php
menu_back.gif
menu_back.htm
menu_back.php
menu_back2.php
menu_customer.gif
menu_customer.php
menu_customerServices.gif
menu_customerServices.php
menu_financial.gif
menu_financial.php
menu_index.gif
menu_main.php
mm_menu.js
phpinfo.php
scandir.php
xmlTEST.php
xml_SUREPAY.php
xml_schemaTest.php

./articles:
01-Primer-2nd-version-2000.pdf
02-sc-strategies.pdf
TransmontaigneReprint.pdf

./assets:
TMG4_32 fla
TMG4_32.swf
TMG4_33 fla
data.txt
facilitiesMap.swf
flashTest fla
flashTest.swf
transmontaigne-030519 fla
transmontaigne-030904 fla

./images:
HEADER_TMT.gif
HEADER_TagLine.gif
LEFT_customer.gif
SPACER_gray.gif
SPACER_white.gif
_notes
home_image_01.jpg
home_menu_about.gif
home_menu_about_OVER.gif
home_menu_contact.gif
home_menu_contact_OVER.gif
home_menu_e-supply.gif
home_menu_e-supply_OVER.gif
home_menu_plug_01.gif
home_menu_plug_02.gif
home_menu_spacer_01.gif
home_menu_spacer_02.gif
mainMenu_customer_1.jpg
mainMenu_customer_1_R0.jpg
mainMenu_customer_2.jpg
mainMenu_customer_2_R0.jpg
mainMenu_customer_3.jpg
mainMenu_customer_3_R0.jpg
mainMenu_customer_4.jpg
mainMenu_customer_4_R0.jpg

mainMenu_employee_1.jpg
mainMenu_employee_1_R0.jpg
mainMenu_employee_2.jpg
mainMenu_employee_2_R0.jpg
mainMenu_employee_3.jpg
mainMenu_employee_3_R0.jpg
mainMenu_employee_4.jpg
mainMenu_employee_4_R0.jpg
mainMenu_shareholder_1.jpg
mainMenu_shareholder_1_R0.jpg
mainMenu_shareholder_2.jpg
mainMenu_shareholder_2_R0.jpg
mainMenu_shareholder_3.jpg
mainMenu_shareholder_3_R0.jpg
menu
menu_back.gif
menu_customer.gif
menu_index.gif
side_about_01.jpg
side_about_02.jpg
side_aerial_01.jpg
side_aerial_02.jpg
side_budgetRiskMgmt_01.jpg
side_budgetRiskMgmt_02.jpg
side_contractedSupply_01.jpg
side_deliveredProduct_01.jpg
side_deliveredProduct_02.jpg
side_deliveredProduct_03.jpg
side_deliveredProduct_04.jpg
side_deliveredProduct_05.jpg
side_e-Supply_01.jpg
side_e-Supply_02.jpg
side_e-Supply_03.jpg
side_e-Supply_04.jpg
side_e-Supply_05.jpg
side_e-Supply_06.jpg
side_exchanges_01.jpg
side_exchanges_02.jpg
side_exchanges_03.jpg
side_exchanges_04.jpg
side_exchanges_05.jpg
side_exchanges_06.jpg
side_facilities_01.gif
side_facilities_01.jpg
side_financial_00.jpg
side_financial_01.jpg
side_pipeline_01.jpg
side_pipelines_01.jpg
side_pipelines_02.jpg
side_pipelines_03.jpg
side_pipelines_04.jpg
side_pipelines_05.jpg
side_pipelines_06.jpg
side_pipelines_07.jpg
side_rack_01.jpg
side_rack_02.jpg
side_rack_03.jpg
side_rack_04.jpg
side_rack_05.jpg
side_rack_06.jpg
side_rack_07.jpg
side_retail-rack_01.jpg

side_retail-rack_08.jpg
side_retail-rack_09.jpg
side_river_system_01.jpg
side_river_system_02.jpg
side_tugBarge_01.jpg
side_tugBarge_02.jpg
side_tugBarge_03.jpg
side_tugBarge_04.jpg

./images/_notes:
images.dfv

./images/menu:
menu.png
menu_about.gif
menu_analystCoverage.gif
menu_analystCoverage_over.gif
menu_assets.jpg
menu_assets_over.jpg
menu_back.gif
menu_back.png
menu_back.psd
menu_back_over.gif
menu_background.gif
menu_contact.gif
menu_contact.psd
menu_contact_over.gif
menu_corpGovern.gif
menu_corpGovern_over.gif
menu_customer.png
menu_customerServices.png
menu_e-supply.gif
menu_employeeInfo.gif
menu_employeeInfo.psd
menu_employeeInfo_over.gif
menu_employmentOps.gif
menu_employmentOps.psd
menu_employmentOps_over.gif
menu_feed_ccbn.gif
menu_financial.png
menu_index.gif
menu_intranetPortal.gif
menu_intranetPortal_over.gif
menu_managingFuelCosts.gif
menu_sec_filings.gif
menu_securingSupply.gif
menu_spacer.gif
menu_stockPrice.gif
menu_stockPrice_over.gif
menu_usingOurAssets.gif

Appendix B: PHP Info()

PHP Info PagePHP Version 4.1.2

```
SystemLinux daffy.perf.redhat.com 2.4.18-11smp #1 SMP Thu Aug 15 06:41:59
EDT 2002 i686 unknown
Build DateSep 26 2002
Configure Command './configure' 'i386-redhat-linux' '--prefix=/usr'
 '--exec-prefix=/usr' '--bindir=/usr/bin' '--sbindir=/usr/sbin'
 '--sysconfdir=/etc' '--datadir=/usr/share' '--includedir=/usr/include'
 '--libdir=/usr/lib' '--libexecdir=/usr/libexec' '--localstatedir=/var'
 '--sharedstatedir=/usr/com' '--mandir=/usr/share/man'
 '--infodir=/usr/share/info' '--prefix=/usr' '--with-config-file-path=/etc'
 '--enable-force-cgi-redirect' '--disable-debug' '--enable-pic'
 '--disable-rpath' '--enable-inline-optimization' '--with-bz2' '--with-db3'
 '--with-curl' '--with-dom=/usr' '--with-exec-dir=/usr/bin'
 '--with-freetype-dir=/usr' '--with-png-dir=/usr' '--with-gd'
 '--enable-gd-native-ttf' '--with-ttf' '--with-gdbm' '--with-gettext'
 '--with-ncurses' '--with-gmp' '--with-iconv' '--with-jpeg-dir=/usr'
 '--with-mm' '--with-openssl' '--with-png' '--with-ispell'
 '--with-regex=system' '--with-xml' '--with-expat-dir=/usr' '--with-zlib'
 '--with-layout=GNU' '--enable-bcmath' '--enable-debugger' '--enable-exif'
 '--enable-ftp' '--enable-magic-quotes' '--enable-safe-mode'
 '--enable-sockets' '--enable-sysvsem' '--enable-sysvshm'
 '--enable-discard-path' '--enable-track-vars' '--enable-trans-sid'
 '--enable-yp' '--enable-wddx' '--without-oci8' '--with-ldap=shared'
 '--with-ldap-ssl' '--with-kerberos=/usr/kerberos' '--with-ldap=shared'
 '--with-mysql=shared,/usr' '--with-pgsql=shared' '--with-snmp=shared,/usr'
 '--with-snmp=shared' '--enable-ucd-snmp-hack' '--with-unixODBC=shared'
 '--enable-memory-limit' '--enable-bcmath' '--enable-shmop'
 '--enable-versioning' '--enable-calendar' '--enable-dbx' '--enable-dio'
 '--enable-mbstring' '--enable-mbstr-enc-trans'
 '--with-apxs=/usr/sbin/apxs'
Server APIApache
Virtual Directory Supportdisabled
Configuration File (php.ini) Path/etc/php.ini
ZEND_DEBUGdisabled
Thread Safetydisabled
```

This program makes use of the Zend Scripting Language Engine:
Zend Engine v1.1.1, Copyright (c) 1998-2001 Zend Technologies

PHP 4.0 Credits

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference		
On	On	
allow_url_fopen		
1	1	
always_populate_raw_post_data		
0	0	
arg_separator	input	

&&
arg_separator.output
&&
asp_tags
OffOff
auto_append_file
no valueno value
auto_prepend_file
no valueno value
browscap
no valueno value
default_charset
no valueno value
default_mimetype
text/htmltext/html
define_syslog_variables
OffOff
disable_functions
no valueno value
display_errors
OnOn
display_startup_errors
OffOff
doc_root
no valueno value
enable_dl
OnOn
error_append_string
no valueno value
error_log
no valueno value
error_prepend_string
no valueno value
error_reporting
20392039
expose_php
OnOn
extension_dir
/usr/lib/php4/usr/lib/php4
file_uploads
no valueno value
gpc_order
GPCGPC
highlight.bg
#FFFFFF#FFFFFF
highlight.comment
#FF9900#FF9900
highlight.default
#0000CC#0000CC
highlight.html
#000000#000000
highlight.keyword
#006600#006600
highlight.string
#CC0000#CC0000
html_errors
OnOn
ignore_user_abort
OffOff
implicit_flush
OffOff
include_path

```
./usr/share/pear ./usr/share/pear
log_errors
0ff0ff
magic_quotes_gpc
0n0n
magic_quotes_runtime
0ff0ff
magic_quotes_sybase
0ff0ff
max_execution_time
3030
memory_limit
8M8M
open_basedir
no valueno value
output_buffering
no valueno value
output_handler
no valueno value
post_max_size
8M8M
precision
1414
register_argc_argv
0n0n
register_globals
0n0n
safe_mode
0ff0ff
safe_mode_exec_dir
no valueno value
safe_mode_gid
0ff0ff
safe_mode_include_dir
no valueno value
sendmail_from
me@localhost.comme@localhost.com
sendmail_path
/usr/sbin/sendmail -t -i /usr/sbin/sendmail -t -i
short_open_tag
0n0n
SMTP
localhostlocalhost
sql.safe_mode
0ff0ff
track_errors
0ff0ff
upload_max_filesize
2M2M
upload_tmp_dir
no valueno value
user_dir
no valueno value
variables_order
EGPCSEGPCS
xmlrpc_error_number
00
xmlrpc_errors
0ff0ff
y2k_compliance
0ff0ff
```

yp

YP Supportenabled

xml

XML Supportactive
XML Namespace Supportactive
EXPAT Versionexpat_1.95.2

wddx

WDDX Supportenabled
WDDX Session Serializereenabled

standard

Regex LibrarySystem library enabled
Dynamic Library Supportenabled
Path to sendmail/usr/sbin/sendmail -t -i

DirectiveLocal ValueMaster Value

assert.active

11

assert.bail

00

assert.callback

no valueno value

assert.quiet_eval

00

assert.warning

11

safe_mode_allowed_env_vars

PHP_PHP_

safe_mode_protected_env_vars

LD_LIBRARY_PATHLD_LIBRARY_PATH

session.use_trans_sid

11

url_rewriter.tags

a=href,area=href,frame=src,input=src,form=fakeentrya=href,area=href,frame=src,input=src,form=fakeentry

sockets

Sockets Supportenabled

shmop

shmop supportenabled

session

Session Supportenabled

DirectiveLocal ValueMaster Value

session.auto_start

OffOff

session.cache_expire

180180

session.cache_limiter

nocachenocache

session.cookie_domain

no valueno value

```
session.cookie_lifetime
00
session.cookie_path
//
session.cookie_secure
OffOff
session.entropy_file
no valueno value
session.entropy_length
00
session.gc_maxlifetime
14401440
session.gc_probability
11
session.name
PHPSESSIDPHPSESSID
session.referer_check
no valueno value
session.save_handler
filesfiles
session.save_path
/tmp/tmp
session.serialize_handler
phpphp
session.use_cookies
OnOn
```

pspell

```
PSpell Supportenabled
```

posix

```
Revision$Revision: 1.33.2.1 $
```

pcre

```
PCRE (Perl Compatible Regular Expressions) Supportenabled
PCRE Library Version3.4 22-Aug-2000
```

openssl

```
OpenSSL supportenabled
OpenSSL VersionOpenSSL 0.9.6b [engine] 9 Jul 2001
```

ncurses

```
ncurses supportenabled
```

mbstring

```
Multibyte (Japanese) Supportenabled
http input encoding translationenabled
```

```
DirectiveLocal ValueMaster Value
```

```
mbstring.detect_order
```

```
no valueno value
```

```
mbstring.http_input
```

```
no valueno value
```

```
mbstring.http_output
```

```
no valueno value
```

```
mbstring.internal_encoding
```

no valueno value
mbstring.substitute_character
no valueno value

iconv

iconv supportenabled

DirectiveLocal ValueMaster Value
iconv.input_encoding
ISO-8859-1ISO-8859-1
iconv.internal_encoding
ISO-8859-1ISO-8859-1
iconv.output_encoding
ISO-8859-1ISO-8859-1

gmp

gmp supportenabled

gettext

GetText Supportenabled

gd

GD Supportenabled
GD Version1.6.2 or higher
FreeType Supportenabled
FreeType Linkagewith freetype
JPG Supportenabled
PNG Supportenabled
WBMP Supportenabled

ftp

FTP supportenabled

exif

EXIF Supportenabled

domxml

DOM/XMLenabled
libxml Version2.4.19
XPath Supportenabled
XPath Pointer Supportenabled

dbx

dbx supportenabled
dbx version1.0.0
supported databasesMySQL
ODBC
PostgreSQL
Microsoft SQL
Server
FrontBase

dba

DBA supportenabled
Supported handlersgdbm db3

curl

CURL supportenabled
CURL Informationlibcurl 7.9.5 (OpenSSL 0.9.6b) (ipv6 enabled)

calendar

Calendar supportenabled

bz2

BZip2 SupportEnabled
BZip2 Version1.0.2, 30-Dec-2001

bcmath

BCMath supportenabled

zlib

ZLib Supportenabled
'zlib:' fopen wrapperenabled
Compiled Version1.1.3
Linked Version1.1.4

imap

IMAP Supportenabled
IMAP c-Client Version2001
SSL Supportenabled
Kerberos Supportenabled

ldap

LDAP Supportenabled
RCS Version\$Id: ldap.c,v 1.94.2.3 2001/12/01 14:17:43 venaas Exp \$
Total Links0/unlimited
API Version2004

mysql

MySQL Supportenabled
Active Persistent Links0
Active Links0
Client API version3.23.56
MYSQL_MODULE_TYPEexternal
MYSQL_SOCKET/var/lib/mysql/mysql.sock
MYSQL_INCLUDE-I/usr/include/mysql
MYSQL_LIBS-L/usr/lib/mysql -lmysqlclient -L/usr/lib -z

DirectiveLocal ValueMaster Value

mysql.allow_persistent

OnOn

mysql.default_host

no value

mysql.default_password

no value

mysql.default_port

no value

mysql.default_socket

no value

mysql.default_user

no value

```
mysql.max_links
UnlimitedUnlimited
mysql.max_persistent
UnlimitedUnlimited
```

apache

```
APACHE_INCLUDE
APACHE_TARGET
Apache VersionApache/1.3.23
Apache Release10323100
Apache API Version19990320
Hostname:Porttmgwebdvlp.transmontaigne.com:80
User/Groupapache(48)/48
Max RequestsPer Child: 1000 - Keep Alive: off - Max Per Connection: 100
TimeoutsConnection: 300 - Keep-Alive: 15
Server Root/etc/httpd
Loaded Modulesmod_ssl, mod_dav, mod_php4, mod_perl, mod_setenvif, mod_so,
mod_headers, mod_expires, mod_auth_db, mod_auth_anon, mod_auth,
mod_access, mod_rewrite, mod_alias, mod_userdir, mod_actions, mod_imap,
mod_asis, mod_cgi, mod_dir, mod_autoindex, mod_include, mod_info,
mod_status, mod_negotiation, mod_mime, mod_log_referer, mod_log_agent,
mod_log_config, mod_env, mod_vhost_alias, http_core

DirectiveLocal ValueMaster Value
child_terminate
00
engine
11
last_modified
00
xbithack
00
```

Apache Environment

```
VariableValue
DOCUMENT_ROOT/var/www/html
HTTP_ACCEPTimage/gif, image/x-xbitmap, image/jpeg, image/pjpeg,
application/x-shockwave-flash, application/vnd.ms-excel,
application/vnd.ms-powerpoint, application/msword, */*
HTTP_ACCEPT_ENCODINGgzip, deflate
HTTP_ACCEPT_LANGUAGEen-us
HTTP_CONNECTIONKeep-Alive
HTTP_HOSTtmgwebdvlp.refinedsolutions.net
HTTP_USER_AGENTMozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
PATH/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin
REMOTE_ADDR198.143.192.2
REMOTE_PORT1719
SCRIPT_FILENAME/var/www/html/phpinfo.php
SERVER_ADDR10.1.1.82
SERVER_ADMINroot@localhost
SERVER_NAMEtmgwebdvlp.transmontaigne.com
SERVER_PORT80
SERVER_SIGNATURE<ADDRESS>Apache/1.3.27 Server at
tmgwebdvlp.transmontaigne.com Port 80</ADDRESS>

SERVER_SOFTWAREApache/1.3.27 (Unix) (Red-Hat/Linux) mod_ssl/2.8.12
OpenSSL/0.9.6b DAV/1.0.3 PHP/4.1.2 mod_perl/1.26
GATEWAY_INTERFACECGI/1.1
SERVER_PROTOCOLHTTP/1.1
REQUEST_METHODGET
```

QUERY_STRING
REQUEST_URI/phpinfo.php
SCRIPT_NAME/phpinfo.php

HTTP Headers Information

HTTP Request Headers
HTTP RequestGET /phpinfo.php HTTP/1.1
Acceptimage/gif, image/x-xbitmap, image/jpeg, image/pjpeg,
application/x-shockwave-flash, application/vnd.ms-excel,
application/vnd.ms-powerpoint, application/msword, */*
Accept-Encodinggzip, deflate
Accept-Languageen-us
ConnectionKeep-Alive
Hosttmgwebdvlp.refinedsolutions.net
User-AgentMozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
HTTP Response Headers
X-Powered-ByPHP/4.1.2
Connectionclose
Transfer-Encodingchunked
Content-Typetext/html

Additional Modules

sysvshm
sysvsem
session mm

Environment

VariableValue
PWD/var/log
XAUTHORITY/root/.xauthGYa3ZZ
CATALINA_HOME/usr/java/jakarta/tomcat
HOSTNAMEtmgwebdvlp
LESSOPEN|/usr/bin/lesspipe.sh %s
ANT_HOME/usr/java/jakarta/ant
USERroot

LS_COLORSno=00:fi=00:di=01;34:ln=01;36:pi=40;33:so=01;35:bd=40;33;01:cd=40;33;01:or=01;05;37;41:mi=01;05;37;
41:ex=01;32:*.cmd=01;32:*.exe=01;32:*.com=01;32:*.bat=01;32:*.sh=01;32:*.csh=01;32:*.tar=01;31:*.
.tgz=01;31:*.arj=01;31:*.taz=01;31:*.lzh=01;31:*.zip=01;31:*.z=01;31:*.Z=01;31:*.gz=01;31:*.bz2=01;31:*.bz=0
1:31:*.tz=01;31:*.rpm=01;31:*.cpio=01;31:*.jpg=01;35:*.gif=01;35:*.bmp=01;35:*.xpm=01;35:*.png=0
1:35:*.tif=01;35:

JAKARTA_HOME/usr/java/jakarta
MAIL/var/spool/mail/root
INPUTRC/etc/inputrc
BASH_ENV/root/.bashrc
LANGen_US.iso885915
JAVA_HOME/usr/java/jdk
JAVA_PATH/usr/java/jdk
DISPLAYlocalhost:10.0
LOGNAMEroot
SHLVL2
SHELL/bin/bash
JDK_HOME/usr/java/jdk
USERNAMEroot
HISTSIZE1000
TERMxterm
HOME/root
SSH_ASKPASS/usr/libexec/openssh/gnome-ssh-askpass
PATH/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin

./sbin/initlog

PHP Variables

VariableValue

PHP_SELF/phpinfo.php

\$_SERVER["DOCUMENT_ROOT"]/var/www/html

\$_SERVER["HTTP_ACCEPT"]image/gif, image/x-xbitmap, image/jpeg, image/pjpeg,
application/x-shockwave-flash, application/vnd.ms-excel,
application/vnd.ms-powerpoint, application/msword, */*

\$_SERVER["HTTP_ACCEPT_ENCODING"]gzip, deflate

\$_SERVER["HTTP_ACCEPT_LANGUAGE"]en-us

\$_SERVER["HTTP_CONNECTION"]Keep-Alive

\$_SERVER["HTTP_HOST"]tmgwebdvlp.refinedsolutions.net

\$_SERVER["HTTP_USER_AGENT"]Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1)

\$_SERVER["PATH"]/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin

\$_SERVER["REMOTE_ADDR"]198.143.192.2

\$_SERVER["REMOTE_PORT"]1719

\$_SERVER["SCRIPT_FILENAME"]/var/www/html/phpinfo.php

\$_SERVER["SERVER_ADDR"]10.1.1.82

\$_SERVER["SERVER_ADMIN"]root@localhost

\$_SERVER["SERVER_NAME"]tmgwebdvlp.transmontaigne.com

\$_SERVER["SERVER_PORT"]80

\$_SERVER["SERVER_SIGNATURE"]<ADDRESS>Apache/1.3.27 Server at
tmgwebdvlp.transmontaigne.com Port 80</ADDRESS>

\$_SERVER["SERVER_SOFTWARE"]Apache/1.3.27 (Unix) (Red-Hat/Linux)
mod_ssl/2.8.12 OpenSSL/0.9.6b DAV/1.0.3 PHP/4.1.2 mod_perl/1.26

\$_SERVER["GATEWAY_INTERFACE"]CGI/1.1

\$_SERVER["SERVER_PROTOCOL"]HTTP/1.1

\$_SERVER["REQUEST_METHOD"]GET

\$_SERVER["QUERY_STRING"]

\$_SERVER["REQUEST_URI"]/phpinfo.php

\$_SERVER["SCRIPT_NAME"]/phpinfo.php

\$_SERVER["PATH_TRANSLATED"]/var/www/html/phpinfo.php

\$_SERVER["PHP_SELF"]/phpinfo.php

\$_SERVER["argv"]Array

(
)

\$_SERVER["argc"]0

_ENV["PWD"]/var/log

_ENV["XAUTHORITY"]/root/.xauthGYa3ZZ

_ENV["CATALINA_HOME"]/usr/java/jakarta/tomcat

_ENV["HOSTNAME"]tmgwebdvlp

_ENV["LESSOPEN"]|/usr/bin/lesspipe.sh %s

_ENV["ANT_HOME"]/usr/java/jakarta/ant

_ENV["USER"]root

_ENV["LS_COLORS"]no=00:fi=00:di=01;34:ln=01;36:pi=40;33:so=01;35:bd=40;33;01:cd=40;33;01:or=01;05;37;41:mi=0
1;05;37;41:ex=01;32:*.cmd=01;32:*.exe=01;32:*.com=01;32:*.btm=01;32:*.bat=01;32:*.sh=01;32:*.csh=01;32:*.tar
=01;31:*.tgz=01;31:*.arj=01;31:*.taz=01;31:*.lzh=01;31:*.zip=01;31:*.z=01;31:*.Z=01;31:*.gz=01;31:*.bz2=01;3
1:*.bz=01;31:*.tz=01;31:*.rpm=01;31:*.cpio=01;31:*.jpg=01;35:*.gif=01;35:*.bmp=01;35:*.xpm=01;35
:*.png=01;35:*.tif=01;35:

_ENV["JAKARTA_HOME"]/usr/java/jakarta

_ENV["MAIL"]/var/spool/mail/root

_ENV["INPUTRC"]/etc/inputrc

_ENV["BASH_ENV"]/root/.bashrc

_ENV["LANG"]en_US.iso885915

_ENV["JAVA_HOME"]/usr/java/jdk

```
_ENV["JAVA_PATH"]/usr/java/jdk
_ENV["DISPLAY"]localhost:10.0
_ENV["LOGNAME"]root
_ENV["SHLVL"]2
_ENV["SHELL"]/bin/bash
_ENV["JDK_HOME"]/usr/java/jdk
_ENV["USERNAME"]root
_ENV["HISTSIZE"]1000
_ENV["TERM"]xterm
_ENV["HOME"]/root
_ENV["SSH_ASKPASS"]/usr/libexec/openssh/gnome-ssh-askpass
_ENV["PATH"]/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin
_ENV["_"]/sbin/initlog
```